

AURA - CIRCULAR ACOUSTIC LIGHT





Luminaire Construction

The Aura acoustic light is designed to be surface mounted or suspended to either a single suspension point with ceiling rose or vertical suspension points. Available in 5 different sizes and a wide variety of RAL colours. It is the ideal option when lighting a large open space or simply wanting to create a stunning feature. The versatility of the aluminium body and LED technology used allows for the inclusion of many control options, including dimming, emergency options, wireless switching and scene-setting Casambi wireless control technology.

Typical Application

General Office Areas, Conference Rooms, Reception Areas, Educational Facilities, Retail Units, Bars, Restaurants, Hotels and Leisure Facilities, Libraries, Museums and Galleries

- // Decorative acoustic surface/suspended LED luminaire
- // European-branded LED drivers
- // Up to 85 lumens per circuit watt
- // Direct/Indirect option available - 90:10 ratio
- // Extruded aluminium body available in 16 colours
- // Colour-matched ceiling rose
- // 650 mm, 950 mm, 1250 mm, 1550 mm and 1950 mm diameter body
- // LED 4000K, CRI>80, 50,000h life as standard
- // Opal polycarbonate diffuser
- // Compatible with Casambi wireless control system
- // 5-year warranty



AURA - CIRCULAR ACOUSTIC LIGHT

Product Code	LED Wattage	Lumen Output	Lumen/Watt	Colour Temp.	Size
Aura Surface and Suspended					
AUR36	39W	3032	77	4000K	650 x 65 x 85mm
AUR54	56W	4548	81	4000K	950 x 65 x 85mm
AUR72	73W	6064	83	4000K	1250 x 65 x 85mm
AUR90	89W	7580	85	4000K	1550 x 65 x 85mm
AUR108	112W	9096	81	4000K	1950 x 65 x 85mm
Aura Suspended Direct/Indirect/90% Direct + 10% Indirect					
AUR36/DIR/IND	39W	3032	77	4000K	650 x 65 x 85mm
AUR54/DIR/IND	56W	4548	81	4000K	950 x 65 x 85mm
AUR72/DIR/IND	73W	6064	83	4000K	1250 x 65 x 85mm
AUR90/DIR/IND	89W	7580	85	4000K	1550 x 65 x 85mm
AU108/DIR/IND	112W	9096	81	4000K	1950 x 65 x 85mm

Control Options

Option Code	Description
/M	3 Hour Maintained Emergency
/MZ	3 Hour Maintained DALI
/D	Emergency 1-10V Driver
/DALI	DALI/DSI Dimmable Driver
/BTC	Casambi Dimmable
/3K	3000K LED

Suspension Options

Option Code	Description
Ceiling Rose with Central Suspension Point (including 1.5m wires)	
CR1	Ceiling Rose Kit for 650 and 950mm versions - 3 wire
CR2	Ceiling Rose Kit for 1250mm versions - 4 wire
CR3	Ceiling Rose Kit for 1550mm versions - 5 wire
CR4	Ceiling Rose Kit for 1950mm versions - 6 wire
Colour-matched Ceiling Rose supplied unless specified otherwise	
Vertical Suspension Sets (Including 1.5m wires)	
SUSKIT -T1	Suspension Kit for 650 and 950mm versions - 3 wire
SUSKIT -T2	Suspension Kit for 1250mm versions - 4 wire
SUSKIT -T3	Suspension Kit for 1550mm versions - 5 wire
SUSKIT -T4	Suspension Kit for 1950mm versions - 6 wire
Ceiling Rose for Vertical Suspension (Excluding wires)	
CRO	Ceiling Rose with Vertical Suspension Sets
Supply Cable	
CABTR3C	1.5m Transparent Current Cable 3 x0.75 mm2
CABTR5C	1.5m Transparent Current Cable 5 x0.75 mm2
NOTE: Alternative length suspension kits available - POA	

For optional features, please include the option code suffix with the product code when ordering.

Colour Options

Option Code	Description
/W	White (RAL 9016)
/G	Grey (RAL 9006)
/B	Black (RAL 9005)
/U (POA)	Blue (RAL 5002)
/V (POA)	Green (RAL 6018)
/T (POA)	Yellow (RAL 1021)
/K (POA)	Red (RAL 3020)
/N (POA)	Jungle
/D (POA)	Goldeneye
/O (POA)	Sahara
/L (POA)	Autumn
/R (POA)	Rusty chain
/C (POA)	Pure chocolate
/I (POA)	Mist
/9 (POA)	Darkrock
/I (POA)	Carbon



AURA - CIRCULAR ACOUSTIC LIGHT




Acoustic Felt Construction

Available in 5 different sizes and a wide variety of patterns and colours to choose from, it is the ideal option when lighting large open spaces or simply wanting to create a stunning yet noise-reducing lighting feature.

Simply choose your pattern, or design one of your own and use any of the 32 bird-inspired colours as the base colour. Then, choose from one of the 5 top colours to complete your design.

The versatile design makes our Aura acoustic light pendant particularly ideal for break-out areas, social spaces and informal collaborative spaces where several sizes and shapes can be installed together to manage noise and add visual impact to areas that require lighting and acoustics.




- // Decorative acoustic surface/suspended LED luminaire
- // Acoustic panel available in 12mm or 24mm thickness made from 60% recycled PET (from used plastic bottles)
- // 100% Recyclable at end of life
- // Preformed for easy install
- // Not affected by moisture, mould or mildew
- // Fire Rating EN 13501-1:2007+a1:2009 - B,s1, d0 ASTM E84-16 -Class A
- // No Formaldehyde binders
- // Low VOCs
- // Noise Reducing Coefficient (NRC) .45
- // Large range of designs to choose from to create your own bespoke design
- // REACH: PASS
- // Designed and manufactured in the UK
- // Manufacturer's 5-year warranty



THREE STEPS TO SPECIFY:

1. Select V cut design number (or bespoke design)
2. Choose base felt colour (30 colours)
3. Choose top 1mm felt colour (5 colours)

AURA - CIRCULAR ACOUSTIC LIGHT



Base Colour Options

Product Code	Colour	Colour Name
/C		Canary (Yellow)
/CF		Canary Fleck (Yellow w/ fleck)
/CH		Chaffinch (Coral)
/D		Dollarbird (Blue Grey w/ fleck)
/DO		Dove (White)
/F		Flamingo (Pink)
/G		Goldcrest (Green w/ fleck)
/H		Heron (Grey)
/J		Jacarina (Dark Blue w/ fleck)
/K		Kingfisher (Blue w/ fleck)
/L		Lark (Mustard w/ fleck)
/M		Mallard (Teal)
/O		Oriole (Orange)
/OF		Oriole (Orange w/ fleck)
/OW		Owl (Dark Beige w/fleck)

Product Code	Colour	Colour Name
/P		Peacock (Teal w/ fleck)
/R		Raven (Black)
/RO		Rosella (Red)
/RF		Rosella (Red w/ fleck)
/SF		Sabrewing (Purple w/ fleck)
/S		Sanderling (Light Grey)
/SI		Siskin (Sand Yellow)
/SK		Skua (Dark Grey)
/SW		Swallow (Dark Blue)
/T		Turaco (Olive Green)
/W		Warbler (Sage Green)
/WH		Wheater (Beige)
/WF		Wheater Fleck (Beige w/ fleck)
/WO		Woodpecker (Bright Green)
/WPF		Woodpecker Fleck (Bright green w/ fleck)

Top Colour Options

Product Code	Colour	Colour Name
/DO		Dove (White)
/H		Heron (Grey)
/R		Raven (Black)
/S		Sanderling (Light Grey)
/SK		Skua (Dark Grey)



THREE STEPS TO SPECIFY:

1. Select V cut design number (or bespoke design)
2. Choose base felt colour (30 colours)
3. Choose top 1mm felt colour (5 colours)