

M-LINE BESPOKE SHAPES & CUSTOM LENGTHS



Construction

M-Line's sleek aluminium profile can be adapted to form many bespoke linear lengths and shaped designs. Corner sections are fully lit to enhance the visual impact that continuous lighting creates. Suspended and wall-mounted systems can be supplied to incorporate direct/indirect lighting options with dual switching available. The system can also be surface mounted or recessed in both ceilings and walls.

Typical Application

General Office Areas, Conference Rooms, Reception Areas, Educational Facilities, Hotels and Leisure Facilities, Residential Properties, Retail, Bars and Restaurants.

- // Aluminium extruded sections in 9 standard lengths and can be increased by 140mm increments
- // Bespoke shaped formations available subject to design
- // Colour options in 3000K/4000K/5000K
- // Incorporates European branded LED drivers
- // Direct/Indirect lighting options available for suspended and wall mounted
- // Utilises latest generation long-life LEDs from leading manufacturers
- // Clip-in gear tray for easy installation
- // Opal polycarbonate diffuser
- // Tuneable white and RGB options available
- // Dimmable and emergency options available
- // Compatible with Casambi wireless control system
- // Dual Switch option available
- // Also available in recessed trimless system
- // CRI>80, 50,000h life
- // 5-year warranty



SURFACE




SUSPENDED



RECESSED



WALL- SURFACE
OR RECESSED



M-LINE BESPOKE SHAPES & CUSTOM LENGTHS



Colour Options

Option Code	Description
/ W	White (RAL 9016)
/ G	Grey (RAL 9006)
/ B	Black (RAL 9005)
/ U (POA)	Blue (RAL 5002)
/ V (POA)	Green (RAL 6018)
/ T (POA)	Yellow (RAL 1021)
/ K (POA)	Red (RAL 3020)
/ N (POA)	Jungle
/ D (POA)	Goldeneye
/ O (POA)	Sahara
/ L (POA)	Autumn
/ R (POA)	Rusty Chain
/ C (POA)	Pure chocolate
/ I (POA)	Mist
/ 9 (POA)	Darkrock
/ I (POA)	Carbon



Control Options

Section	Option Code	Description
1 - EMERGENCY	/M	Leave blank if no emergency
	/MZ	Emergency
	/ND	Non Dimmable
2 - CONTROL	/DA	DALI Dimmable
	/D	1-10V Dimmable
	/BTC	Casambi Dimmable
3 - CCT	/4K	4000K LED
	/3K	3000K LED
	/5K	5000K LED
	/TW	Tunable White LED
	/RGB	Colour Changing LED
4 - CRI	/80	CRI>80



For optional features, please include the option code suffix with the product code when ordering.

M-LINE BESPOKE SHAPES & CUSTOM LENGTHS



Possible Concepts/Shape Formations

