

SONIDO - ACOUSTIC LINEAR LUMINAIRE



Luminaire Construction

The Sonido fitting is supplied as a suspended acoustic luminaire with direct only or direct/indirect light distribution options. Suspension is made simple using a single-point ceiling bracket with a 2m adjustable stainless steel wire system. Surface mounting is achieved by directly fixing through the rear of the profile. The linear aluminium profile is available in standard lengths up to 2824mm, with bespoke lengths available to order upon request. No matter the application, the Sonido will provide high-lumen output, bright illumination and sound reduction wherever it is used.


Typical Application

General Office Areas, Conference Rooms, Reception Areas, Educational Facilities, Retail Units, Bars, Restaurants, Hotels and Leisure Facilities, Libraries, Museums and Galleries.

Size Options

Please note that the acoustic shroud is 121mm longer and 47mm wider than the luminaire section.

All lengths are 200mm high.



- // Aluminium extruded sections in 9 standard length
- // Up to 104 lumens per circuit watt
- // Colour options in 3000K/4000K/5000K
- // Custom shapes available in 280mm increments
- // Incorporates European-branded LED drivers
- // Direct/Indirect lighting options available for suspended fittings
- // Utilises latest generation long-life LEDs from Tridonic (Bronze certified Cradle to Cradle)
- // Clip in gear tray for easy installation
- // Tunable white and RGB options available
- // Dimmable and emergency options available
- // Compatible with Casambi wireless control system
- // CRI>80 as standard, CRI>90 option available
- 50,000h life
- // Dual switch option available
- // 5-year warranty



SURFACE




SUSPENDED



FOUR STEPS TO SPECIFY:

1. Select light length (10 standard options) and colour
2. Choose base felt colour (30 from the main bird range or choose from 5 options in Rejuvenate, Refine, or Refresh palette range)
3. Choose top 1 mm felt colour (5 colours)
4. Select V cut design number (or request bespoke design)

SONIDO - ACOUSTIC LINEAR LUMINAIRE



Acoustic Felt Construction

The Sonido acoustic LED linear lighting pendant can also be surface mounted to the ceiling or placed between acoustic ceiling baffles for extra sound absorption. Sonido joins the Tranquila range of innovative, sustainable acoustic lighting solutions.

Available in a range of 45 colours and a variety of sizes, the Sonido will fit seamlessly into any workplace requiring noise reduction.

The striking vertical V-cut texture adds an element of edginess to the design. The versatile design makes Sonido acoustic light shade particularly ideal for break-out areas, social spaces and informal collaborative spaces where several sizes and shapes can be installed together to manage noise and add visual impact to areas that require lighting and acoustics. To further enhance interior design schemes, you can partner with Allsfär's matching acoustic BLOM planters perfectly.

- // 12mm PET felt
- // Designed and manufactured in the UK by Allsfär
- // Made from 60% recycled PET
- // 45 colour options to choose from, including the latest Allsfär collection "Rejuvenate"
- // No formaldehyde binders
- // Low VOCs
- // REACH: PASS
- // Striking V-cut design
- // Combine with the Allsfär Blom acoustic planter for a seamless look
- // Manufacturer's 5-year warranty



FOUR STEPS TO SPECIFY:

1. Select light length (10 standard options) and colour
2. Choose base felt colour (30 from the main bird range or choose from 5 options in Rejuvenate, Refine, or Refresh palette range)
3. Choose top 1 mm felt colour (5 colours)
4. Select V cut design number (or request bespoke design)

SONIDO - ACOUSTIC LINEAR LUMINAIRE

Product Code	LED Wattage	Lumen Output	Lumen/Watt	Colour Temp.	Size
Suspended Direct Acoustic Lighting					
SND584	12W	1298	104	4000K	705 x 97 x 200mm
SND864	19W	1947	104	4000K	985 x 97 x 200mm
SND1144	25W	2596	104	4000K	1265 x 97 x 200mm
SND1424	31W	3245	104	4000K	1545 x 97 x 200mm
SND1704	37W	3895	104	4000K	1825 x 97 x 200mm
SND1984	44W	4543	104	4000K	2105 x 97 x 200mm
SND2264	50W	5192	104	4000K	2385 x 97 x 200mm
SND2544	56W	5847	104	4000K	2665 x 97 x 200mm
SND2824	62W	6490	104	4000K	2945 x 97 x 200mm
NOTE: Includes 2m suspension kits (longer bespoke linear LED lengths available in 280mm increments)					

Product Code	LED Wattage	Lumen Output	Lumen/Watt	Colour Temp.	Size
Surface Mounted Direct Acoustic Linear Lighting					
SNS584	12W	1298	104	4000K	705 x 97 x 200mm
SNS864	19W	1947	104	4000K	985 x 97 x 200mm
SNS1144	25W	2596	104	4000K	1265 x 97 x 200mm
SNS1424	31W	3245	104	4000K	1545 x 97 x 200mm
SNS1704	37W	3895	104	4000K	1825 x 97 x 200mm
SNS1984	44W	4543	104	4000K	2105 x 97 x 200mm
SNS2264	50W	5192	104	4000K	2385 x 97 x 200mm
SNS2544	56W	5847	104	4000K	2665 x 97 x 200mm
SNS2824	62W	6490	104	4000K	2945 x 97 x 200mm

Product Code	LED Wattage	Lumen Output	Lumen/Watt	Colour Temp.	Size
Suspended Direct/Indirect Acoustic Lighting					
SNE584	17W	1788	104	4000K	705 x 97 x 200mm
SNE864	26W	2683	104	4000K	985 x 97 x 200mm
SNE1144	34W	3570	104	4000K	1265 x 97 x 200mm
SNE1424	44W	4543	104	4000K	1545 x 97 x 200mm
SNE1704	53W	5518	104	4000K	1825 x 97 x 200mm
SNE1984	62W	6490	104	4000K	2105 x 97 x 200mm
SNE2264	72W	7464	104	4000K	2385 x 97 x 200mm
SNE2544	81W	8437	104	4000K	2665 x 97 x 200mm
SNE2824	91W	9411	104	4000K	2945 x 97 x 200mm
NOTE: Includes 2m suspension kits (longer bespoke linear LED lengths available in 280mm increments)					



FOUR STEPS TO SPECIFY:

1. Select light length (10 standard options) and colour
2. Choose base felt colour (30 from the main bird range or choose from 5 options in Rejuvenate, Refine, or Refresh palette range)
3. Choose top 1 mm felt colour (5 colours)
4. Select V cut design number (or request bespoke design)


SONIDO - ACOUSTIC LINEAR LUMINAIRE

Control Options

Section	Option Code	Description
1 EMERGENCY		Leave blank if no emergency
	/M	3 Hour Maintained Emergency
	/MZ	3 Hour Maintained DALI Emergency
	/ND	Non-Dim
	/DA	DALI Dimmable Driver
2 CONTROL	/BTC	Casambi Dimmable Driver
	/2DA	Dual Channel DALI Drivers (individual control of uplight and downlight, SNE only)
	/2BTC	Dual Channel Casambi Drivers (individual control of uplight and downlight, SNE only)
3 LUMINAIRE PROFILE FINISH	/9005	Black (RAL 9005)
	/9016	White (RAL 9016)
	/RA	Any RAL Code
	/4K	4000K LED
4 CCT	/3K	3000K LED
	/5K	5000K LED
	/TW	2700K - 6500K LED
	/RGB	RGB
5 CRI	/80	CRI>80
	/90	CRI>90

Suspension and Cable Entry Points

NOTE: These measurements are relevant to the light fitting, not the acoustic panel.



CABTR3C



Clip-in Gear Tray




MLESUS

Suspension Accessories

Option Code	
CABTR3C	1.5m Transparent Current Cable 3 x 0.75mm ²
CABTR5C	1.5m Transparent Current Cable 5 x 0.75mm ²
CR375W/2M	3 Core 0.75mm White Flex Cable - 2m Lead
CR375B/2M	3 Core 0.75mm Black Flex Cable - 2m Lead
CR475W/2M	4 Core 0.75mm White Flex Cable - 2m Lead
CR475B/2M	4 Core 0.75mm Black Flex Cable - 2m Lead
CR575W/2M	5 Core 0.75mm White Flex Cable - 2m Lead
CR575B/2M	5 Core 0.75mm Black Flex Cable - 2m Lead
MLESUS	2m Suspension kit for suspended M-Line

NOTE: Alternative length suspension kits available - POA

Dimensional Drawings



FOUR STEPS TO SPECIFY:

1. Select light length (10 standard options) and colour
2. Choose base felt colour (30 from the main bird range or choose from 5 options in Rejuvenate, Refine, or Refresh palette range)
3. Choose top 1 mm felt colour (5 colours)
4. Select V cut design number (or request bespoke design)

SONIDO - ACOUSTIC LINEAR LUMINAIRE

Please use the following codes to specify the acoustic shroud size for the Sonido luminaire range, followed by the colour code below for the option selected.


Example: **SND2389/H = 2389mm Shroud, Harvest**

Product Code	Description
SND705	Acoustic Linear Shroud for Sonido, 705 mm
SND985	Acoustic Linear Shroud for Sonido, 985 mm
SND1265	Acoustic Linear Shroud for Sonido, 1265 mm
SND1545	Acoustic Linear Shroud for Sonido, 1545 mm
SND1825	Acoustic Linear Shroud for Sonido, 1825 mm
SND2105	Acoustic Linear Shroud for Sonido, 2105 mm
SND2385	Acoustic Linear Shroud for Sonido, 2385 mm
SND2665	Acoustic Linear Shroud for Sonido, 2665 mm
SND2945	Acoustic Linear Shroud for Sonido, 2945 mm

Please note, for Suspended models, please use SNS, and for Direct/Indirect models, please use SNE

Colour Options - Allsfär “Rejuvenate”

Allsfär collaborated with MF Design Studio to create an acoustic collection that inspires. Through vibrant colours and dynamic patterns, we look to bring character, fun and energy to any space. Three colour collections; REJUVENATE, REFRESH and REFINE, are all designed to complement warm, contemporary interiors.



Product Option Code	/H	/M	/R	/T	/B
---------------------	----	----	----	----	----




FOUR STEPS TO SPECIFY:

1. Select light length (10 standard options) and colour
2. Choose base felt colour (30 from the main bird range or choose from 5 options in Rejuvenate, Refine, or Refresh palette range)
3. Choose top 1 mm felt colour (5 colours)
4. Select V cut design number (or request bespoke design)

SONIDO - ACOUSTIC LUMINAIRE FOR WELL STANDARD APPLICATIONS

Allsfär "Refine" Colour Palette



Product Option Code	/P	/S	/DO	/A	/C
---------------------	----	----	-----	----	----

Allsfär "Refresh" Colour Palette



Product Option Code	/O	/F	/H	/L	/H
---------------------	----	----	----	----	----



FOUR STEPS TO SPECIFY:

1. Select light length (10 standard options) and colour
2. Choose base felt colour (30 from the main bird range or choose from 5 options in Rejuvenate, Refine, or Refresh palette range)
3. Choose top 1 mm felt colour (5 colours)
4. Select V cut design number (or request bespoke design)

SONIDO - ACOUSTIC LINEAR LUMINAIRE

Colour Options - Allsfar Standard Range

Product Option Code	Colour	Colour Name
/ CY		Canary Yellow
/ CYF		Canary Yellow w/fleck
/ CHAF		Chaffinch Coral
/ DBF		Dollarbird Blue Grey w/fleck
/ DW		Dove White
/ FP		Flamingo Pink
/ GCG		Goldcrest Green w/fleck
/ HG		Heron Mid Grey
/ JBF		Jacarina Blue w/fleck
/ KBF		Kingfisher Blue w/fleck
/ LKF		Lark Mustard w/fleck
/ MLF		Mallard Teal
/ OO		Oriole Orange
/ OOF		Oriole Orange w/fleck
/ OWF		Owl Dark Beige w/fleck
/ PTF		Peacock Teal w/fleck
/ RB		Raven Black
/ CR		Cardinal Red
/ RRF		Robin Red w/fleck
/ SBF		Sabrewing Purple w/fleck
/ SG		Sanderling Light Grey
/ SIS		Siskin Sand Yellow
/ SKG		Skua Dark Grey
/ SWF		Swallow Dark Blue
/ TUR		Turaco Olive Green
/ WAR		Warbler Sage Green
/ WB		Wheatear Beige
/ WBF		Wheatear Beige w/fleck
/ WG		Woodpecker Green
/ WGF		Woodpecker Green w/fleck



FOUR STEPS TO SPECIFY:

1. Select light length (10 standard options) and colour
2. Choose base felt colour (30 from the main bird range or choose from 5 options in Rejuvenate, Refine, or Refresh palette range)
3. Choose top 1 mm felt colour (5 colours)
4. Select V cut design number (or request bespoke design)