

MOUNT

LIGHTING THE WAY

Loop E

by

LUMILOGY®

LUMILOGY LOOP E




The Lumilogy **Loop E** extends the Loop family into an elegant elliptical form, offering a softer linear expression that works naturally above tables, meeting spaces and circulation routes. Its geometry introduces rhythm and direction while maintaining the calm visual language of the range.

-
- // Elliptical feature luminaire
 - // One or two independent inward-facing lighting circuits (downward and upward)
 - // Casambi wireless lighting control
 - // Over 400 décor options for outer finish
 - // Modern, architectural aesthetic
 - // Handmade in the EU
 - // 10-year warranty
 - // Dust-proof and maintenance-free construction
 - // Supplied with suspension kits

LUMILOGY LOOP E

Size Options



Product Data

Product Code	LED Wattage	Lumen Output	Lumen/Watt	Colour Temperature	Size
DIRECT ONLY MODELS					
E1600	102.6W	8208	80	4000K	1600 x 800 x 150mm
E2000	132.3W	10,584	80	4000K	2000 x 1000 x 150mm
DIRECT/INDIRECT MODELS					
E1600/AMB	157W	13,680	87	4000K	1600 x 800 x 150mm
E2000/AMB	203W	17,640	87	4000K	2000 x 1000 x 150mm











Other Data

WARRANTY	10 years - LED modules, BARRISOL diffuser, luminaire body 5 years - LED driver and control module
CRI	>85 typical
WEIGHT	E1600 - 15kg E2000 - 25kg
MOUNTINGS	4 mounts, all models

LUMILOGY LOOP E

Product Options Code Builder

Section	Option Code	Description
1 CONTROL	/DA	DALI Dim
	/BTC	Casambi Dim
	/WH	PS-959 Matt White
2 FINISH	/MA	PS-992 Matt Anthracite
	/OA	FW-1286 Oak
	/CU	Custom 3M DI-NOC
	/4K	Standard 4000K
3 LED CONFIGURATION	/3K	Standard 3000K
	/AMB	Ambient 4000K direct & 3000K indirect
	/BIO	Biodynamic Tunable
	/RGBW	RGB & 4000K
	/CU	Custom LED Configuration
4 MOUNTING TYPE	/SL1	SL1 Ceiling Rose and hangers
	/SL2	SL2 Ceiling Rose and hangers



FULL CODE EXAMPLE: E1600/DA/OA/AMB/SL1 = Loop E Luminaire, 1600mm, DALI Dim, FW-1286 Oak, Ambient 4000K & 3000K, SL1 Ceiling Rose & hangers