

nount

LIGHTING THE WAY

TRI

by

LUMILOGY®

LUMILOGY TRI




The **Lumilogy TRI** is a premium architectural luminaire that brings sculptural clarity and refined light quality to designed interiors. Its distinctive rounded triangular silhouette is both a design statement and a thoughtful lighting solution - engineered for spaces where aesthetics and well-being matter in equal measure.

-
- // Rounded triangular feature luminaire
 - // One, two or three independent lighting circuits (downward and upward)
 - // Casambi wireless lighting control
 - // Over 400 décor options for inner and outer finishes
 - // Clean, modern design language
 - // Handmade in the EU
 - // 10-year warranty
 - // Dust-proof and maintenance-free construction
 - // Supplied with suspension kits or available for surface mounting

LUMILOGY TRI

Size Options



Height Options

130mm - Regular

100mm - Slim

80mm - Lean












Product Data

Product Code	LED Wattage	Lumen Output	Lumen/Watt	Colour Temperature	Size
DIRECT ONLY MODELS					
TR600R	46W	3672	80	4000K	600 x 130mm
TR600S	46W	3672	80	4000K	600 x 100mm
TR600L	46W	3672	80	4000K	600 x 80mm
TR900R	67W	5400	80	4000K	900 x 130mm
TR900S	67W	5400	80	4000K	900 x 100mm
TR900L	67W	5400	80	4000K	900 x 80mm
TR1200R	92W	7344	80	4000K	1200 x 130mm
TR1200S	92W	7344	80	4000K	1200 x 100mm
TR1200L	92W	7344	80	4000K	1200 x 80mm
TR1500R	114W	9137	80	4000K	1500 x 130mm
TR1500S	114W	9137	80	4000K	1500 x 100mm
TR1500L	114W	9137	80	4000K	1500 x 80mm
DIRECT/INDIRECT MODELS					
TR600R/AMB	70W	6120	87	4000K	600 x 130mm
TR600S/AMB	70W	6120	87	4000K	600 x 100mm
TR600L/AMB	70W	6120	87	4000K	600 x 80mm
TR900R/AMB	104W	9000	87	4000K	900 x 130mm
TR900S/AMB	104W	9000	87	4000K	900 x 100mm
TR900L/AMB	104W	9000	87	4000K	900 x 80mm
TR1200R/AMB	141W	12240	87	4000K	1200 x 130mm
TR1200S/AMB	141W	12240	87	4000K	1200 x 100mm
TR1200L/AMB	141W	12240	87	4000K	1200 x 80mm
TR1500R/AMB	175W	15228	87	4000K	1500 x 130mm
TR1500S/AMB	175W	15228	87	4000K	1500 x 100mm
TR1500L/AMB	175W	15228	87	4000K	1500 x 80mm

LUMILOGY TRI

Product Options Code Builder

Section	Option Code	Description
1 CONTROL	/DA	DALI Dim
	/BTC	Casambi Dim
	/WH	PS-959 Matt White
2 FINISH	/MA	PS-992 Matt Anthracite
	/OA	FW-1286 Oak
	/CU	Custom 3M DI-NOC
	/4K	Standard 4000K
3 LED CONFIGURATION	/3K	Standard 3000K
	/AMB	Ambient 4000K direct & 3000K indirect
	/BIO	Biodynamic Tunable
	/RGBW	RGB & 4000K
	/CU	Custom LED Configuration
4 MOUNTING TYPE	/SU1	Surface Mount
	/SU2	Surface Mount with offset
	/SL1	SL1 Ceiling Rose and hangers
	/SL2	SL2 Ceiling Rose and hangers



FULL CODE **TR600R/DA/WH/BIO/SL1** = TRI Luminaire, 600x130mm, DALI Dim, PS-959 Matt White,
EXAMPLE: Biodynamic Tunable, SL1 Ceiling Rose and hangers

LUMILOGY TRI

Other Data

WARRANTY	10 years - LED modules, BARRISOL diffuser, luminaire body 5 years - LED driver and control module
CRI	>85 typical
WEIGHT	TR600 - 10kg TR900 - 15kg TR1200 - 20kg TR1500 - 23kg
MOUNTINGS	3 mounts, all models